Addendum for Amiga



Please note the following additions and changes in the Flight Manual:

Since the Amiga version of FALCON is code wheel-protected, you can and should make backup copies of Disk 1 and Disk 2.

Page 3: You can also use two Hayes-compatible modems (1200 baud or faster) to play headto-head. See the special insert for further information.

Page 6: After loading the program, you'll need to enter a password to continue. After the introductory screen has loaded, you'll next see a screen asking for a code. Using the enclosed code wheel, line up the outer icon with the inner icon. Then look on the code wheel for the corresponding key word (such as "Foxtrot") that is shown in the third line called "Window." Look at the cut-out adjacent to the key word, and type in that letter. If the code you enter is incorrect, you'll be given a second chance. If your second attempt is incorrect, however, you'll still be able to preview the game.

Page 7: The menu names have been changed for the sound options. "Sound on" is now "All sound on," "Engine off" is "All but engine," and "Sound off" is "All sound off."

Page 26: Your position on the COMED map is shown by a flashing black square, not a flashing white square.


Page 27: To switch your HUD into Air-to-Ground mode, press either the Backspace or ")" key, not the "(" key, which is for Air-to-Air weapon select.

Page 61: Press the ' (apostrophe) key to increase the waypoint number, not the , (comma).

Page 68: In addition to Pop-Up Bombing, your F-16 is also designed for Dive Bombing. Both

Mk84's and Durandals can be released by dive bombing. First, switch to Mk84's or Durandals by pressing the **Backspace** or ")" key. Once you've visually acquired your target, fly straight and level toward it. When the base of the building touches the bottom of the HUD, begin a shallow dive of 20 to 30 degrees toward the target so that the aiming reticle is slightly above the target.

Page 68 (continued): As you move closer to the target, the bombsight will begin to move



Pull back on the stick to execute a steep climb, in order to clear the debris area and avoid crashing into the ground. It'll take a few seconds for your bomb to reach the ground and detonate. A crater will mark the location where your bomb hit. If you hit the target, the building will look damaged.

Page 77: To adjust the yaw/pitch control, use the Shift key, not the Alternate key.

TARGET

Page 97: If you unnecessarily eject at Major rank or above, you will be court-martialed. You may eject without penalty, though, if either your engine or HUD is damaged. In other words, if you fly at Major rank or higher, you must land your plane safely unless it is damaged.

Page 100: The waypoint numbers for each target are listed below.

D0 Home Base	D7Bear's Den
D1-D3 Milk Run	D8-D9 Venus Flytrap
D4 Dragon's Tail	D10-D11 Strike Palace
D5 Dragon's Jaw	D12Black Bandit
D6 Homet's Nest	D13Rattlesnake Roundup

Page 106: At the end of a mission, press the *ESC* key to bring up the Menu Bar, instead of the "Q" key. In addition, you can only click the mouse button to continue to the Sierra Hotel screen, not the QuickStick or joystick button.

Page 120: To jettison your external tanks, press Control-C, not Option-C.

Page 127: Press Control-B, not Option-B, to bring up the Black Box. When viewing the Black Box, your F-16 will appear as a green line, not a black line, and the MiGs will appear as red lines, not gray lines.

FALCON Head-to-Head Dogfight Option

FALCON allows you to dogfight against another player on a second machine. Although each player must have his or her own registered copy of the program, the only additional equipment needed is either a null-modem serial cable or two modems.

What You Need:

- Any combination of Amiga, Atari ST, or Macintosh computers. (Note: the communications feature requires at least 1 megabyte RAM on both the Amiga and the Atari ST.)
- A null-modem serial cable to connect the two machines together via direct connect; or two Hayes-compatible modems to dogfight over the telephone lines.

Dogfight:

Certain elements of the dogfight are consistent no matter which two player mode you select. For example, once both players have made their final selections, the following conditions exist:

- Both planes start out by flying head-on toward each other at an altitude of 20,000 feet at 450 knots from a distance of about 30 miles.
- Each player's plane performs as an F-16 and appears as such onscreen. (Note: the Mac player will see a MiG image onscreen.)
- Either player may initiate an offensive or defensive maneuver at any time. When you
 are dogfighting, you can handicap the dogfight if one player is not as skilled as the
 other by choosing different ranks.
- Occasional messages from Ground Control will give you information about your enemy.
 For example: "Bluebird, bogey is at angel 5, heading 160, 6 miles, -375 knots closure." means your enemy is at an altitude of 5,000 feet, intercept heading of 160°, at a distance of 6 miles. You have a negative closure rate of 375 knots. You will also see an onscreen message if your enemy is using autopilot.
- When the battle is over, the victor will see the "Mission Completed" message displayed at the awards screen. The loser will see a series of snapshots that show his fate. You can use the Black Box at the awards screen to analyze the dogfight.
- To return to the Duty Roster, click the left mouse button once and start over. If neither player has altered the selection from the Communications menu, you may challenge each other again by going through the rank and armament selections as before.
- None of the two player battles affects a pilot's single player status on the Duty Roster, Sierra Hotel or his point total.

Direct Connect (Amiga to Amiga or Amiga to Atari ST):

 A null-modem serial cable can be purchased at your local computer store. A 25-pin to 25-pin serial cable can also be used with a null-modem adapter.

(over)

- Connect one end of the the null-modem serial cable to the 25-pin serial port on the Amiga. Connect the other end to the serial port of the other Amiga or the Atari ST.
- Select "Amiga to Amiga" or "Amiga to ST" from the Comms menu.
- Next, select "Direct Connect" and a baudrate of 19200.
- · Click "Takeoff" to start the dogfight.

Direct Connect (Amiga to Macintosh):


- A Mac modem cable is required.
- Connect the Mac modem cable from the Macintosh modem port to the null-modem serial cable, which connects to the Amiga's serial port.
- The Mac player should select "Mac to Mac" from the Communications menu. The Amiga player should select "Amiga to Mac." The Amiga player should also select 9600 baud instead of 19200, since the Mac only supports a maximum of 9600 baud direct connect.
- The Mac player should always click on "Takeoff" first.

Modem:

- Be sure that both modems are hooked up and ready before entering FALCON.
- · Decide which of you will initiate the call.
- · Select "Amiga to Amiga," "Amiga to ST" or "Amiga to Mac" from the Comms menu.
- · Next, select the appropriate baudrate, which must be the same for both players.
- Then, if you are the caller, select either "Modem tone dial" or "Modem pulse dial" depending on your phone line. If you are the answerer, select "Answer." Both players can also select "Audio checksum," which will alert you by beeping if there is a communications problem.
- Both players click "Takeoff" at the armament screen. If you're the caller, you will type in the phone number of your enemy. If you're the answerer, you'll see a message saying, "Auto answer."
- Once the connection is established, you'll both get a message to that effect...and you're in the air!
- Note: if you're dogfighting against a Mac, the Mac player must be the caller. The Mac
 player cannot send messages over the modem, or else the connection will be broken.


Miscellaneous:

Null-modem serial cables use only 3 lines: 2, 3 and 7. Lines 2 and 3 cross, while line 7
goes straight through. Below is the pin-out configuration:





 If you have trouble with the modem connection, you might want to try out the following Hayes AT commands: AT&F (to set the modem to default factory settings), ATC0 (to force the data carrier detect signal to on), and AT&W (to save settings to non-volatile RAM.) You can enter these Hayes commands through any terminal program, and then try the FALCON modem connection.

KEYBOARD COMMAND LAYOUT FOR AMIGA









The FALCON Cockpit (Front View)

