

BACTRON™

NOT AVAILABLE ON PRESCRIPTION

COMPOSITION

Bactron - ethyl succinate	1000 mg
4 channel musical excipient	500 mg

INDICATIONS

Boredom
Anxiety
Depression
Games hysteria

CONTRAINDICATIONS

Power cut
Lateralization disorders
Asthenia

SIDE-EFFECTS

Tired wrist

METHODS OF ADMINISTRATION

Ingestion via cassette recorder:

- 1) Rewind the tape
- 2) Type RUN (or CTRL and ENTER on the Amstrad)
- 3) Press the PLAY button
- 4) Allow a few minutes for it to take effect

Ingestion via disk drive:

- 1) Insert the disk in the drive
- 2) Type RUN "BACTRON

DOSAGE

To be adjusted in accordance with individual requirements. In any case, you won't be able to stop yourself from taking it...

DIRECTIONS FOR USE

Release the enzymes by touching all the little yellow cubes scattered throughout the patient's body. The cubes come to life when you touch them.

- The green counter shows the score
- The red counter shows how much energy the Bactron has left.
- When the energy level is reduced to zero, one of the four Bactrons dies.
- When the patient's temperature exceeds 42°, he sinks into a deep, irreversible coma.

HOW TO MOVE THE BACTRON

Joystick and keyboard (A, L, X, M)



FIRE

or

SPACE BAR

} to shoot

LABORATORIES LORICIELS

81, rue de la Procession
92500 Rueil Malmaison

AMN 012.C822 © LORICIELS 1986, REPRODUCTION PROHIBITED

IT IS DANGEROUS TO EXCEED THE STATED DOSE

Distributed by Activision (U.K.) Limited.